

	Ref #	Hits	Search Text	DBs
1	S1	2	"20040260542".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	S2	2	"6003041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	S3	2	"6698020".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	S4	1	"5257106".PN.	USPAT; USOCR
5	S5	1	S2 and (select\$5 same (character\$6 preference\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	S6	21	("6003041").URPN.	USPAT
7	S7	2	"6698020".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	S8	1	S7 and rating\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	S10	2	"6003041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	S11	0	S10 and default\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	S12	0	S11 and rating\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	S9	1	S7 and default\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	S13	0	S10 and mad adj about	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	S14	11594	(duplicat\$4 near2 program\$4) ((plurality\$1 multipl\$4) near2 version\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	S15	16081	converg\$4 near2 (system\$1 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

16	S16	6576	(convergence\$1 converged\$1) near2 (system\$1 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
----	-----	------	--	--

	Ref #	Hits	Search Text	DBs
17	S17	16	S16 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	S18	8246	(convergence\$1 converged\$1 convergent) near2 (system\$1 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	S19	19	S18 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	S21	2	"6671880".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	S22	13	("4602279"   "5155591"   "5446919"   "5515098"   "5600364"   "5610653"   "5652615"   "5724521"   "5758259"   "5848397"   "6002393"   "6029045"   "6128712").PN.	US-PGPUB; USPAT; USOCR
22	S23	5	("6594825").URPN.	USPAT

	Ref #	Hits	Search Text	DBs
23	S24	91	("20010003845"   "20010021994"   "20020083444"   "20020144153"   "4745549"   "4789863"   "4947429"   "4995078"   "5075771"   "5130792"   "5155591"   "5367330"   "5371551"   "5446919"   "5459506"   "5479508"   "5483472"   "5508731"   "5524195"   "5532735"   "5541638"   "5572442"   "5600364"   "5604542"   "5610653"   "5616876"   "5619249"   "5621456"   "5640002"   "5721827"   "5724521"   "5732216"   "5734720"   "5745710"   "5752238"   "5758259"   "5761683"   "5781909"   "5794210"   "5801747"   "5802299"   "5818512"   "5838314"   "5848396"   "5848397"   "5861881"   "5861906"   "5892536"   "5931901"   "5937329"   "5986692"   "6002393"   "6005561"   "6012080"   "6020912"   "6026376"   "6029045"   "6057872"   "6088455"   "6088722"   "6101483"   "6131087"   "6177931"   "6199073"   "6211901"   "6216129"   "6237145"   "6246997"   "6324338"   "6324519"   "6366100"   "6386450"   "6411992"   "6447704"   "6457010"   "6463585"   "6484146"   "6505240"   "6517216"   "6526577"   "6571216"   "6571279"   "6571390"   "6594825"   "6668377"   "6698020"   "6799327"   "6816628"   "6820277"   "6868415"   "RE36801") .PN.	US-PGPUB; USPAT; USOCR
24	S25	32	("20020080160"   "20020108110"   "5444499"   "5534911"   "5564088"   "5585865"   "5596373"   "5629733"   "5686954"   "5900915"   "5945988"   "5977964"   "5982411"   "5990927"   "6003041"   "6005565"   "6008802"   "6025837"   "6075526"   "6075971"   "6157377"   "6157411"   "6163345"   "6173112"   "6184918"   "6226444"   "6247176"   "6295646"   "6317881"   "6341374"   "6424791"   "6483987") .PN.	US-PGPUB; USPAT; USOCR
25	S20	3	S19 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
26	S26	2	"20030035007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	S27	1	S26 and default\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	S28	1	(favor\$6 prefer\$5) with (device\$2) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	S29	1	(select\$5) with (device\$2) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	S30	1	(select\$5) near4 (device\$2) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	S31	81	wugofski.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	S32	112	(single) adj2 (show program programme) same (different adj3 (times sources devices networks))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	S33	13982	(show program programme) same (different adj3 (times sources devices networks))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	S34	5037	(show program programme) with (different adj3 (times sources devices networks))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	S37	1	S32 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	S36	5	S33 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	S35	3	S34 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	S38	4800	(show program programme) with (different adj3 (times sources devices))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	S40	363	S38 and (program adj3 guide\$1 ep channel adj2 map\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	S39	9210	"15" and (program adj3 guide\$1 ep channel adj2 map\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
41	S41	2	"5801787".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	S42	8252	(convergence\$1 converged\$1 convergent) near2 (system\$1 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	S44	97	S42 and (program adj3 guide\$1 ep channel adj2 map\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	S45	0	S44 and preferred adj4 (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	S46	0	S42 and preferred adj4 (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	S47	0	S42 and preferred with (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	S48	43	S42 and default with (device source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	S49	44	S42 and default with (device source equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	S50	0	S42 and preferred with (device source equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	S51	12	S49 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	S52	50	("5801787").URPN.	USPAT
52	S53	4800	(show program programme) with (different adj3 (times sources devices))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	S54	3	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	S55	77	725/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	S56	18	725/59.ccls. and default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
56	S57	2	725/59.ccls. and default same (dbs\$1 satellite\$1 cable antenna\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	S58	3	("6133910"   "6359580"   "6529680").PN.	US-PGPUB; USPAT; USOCR
58	S59	26	(tv adj show program programme) with (different adj3 (ratings))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	S60	2	(tv adj show program programme) with (different adj3 (mpaa))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	S62	3	(tv adj show program programme versions) with (different adj3 (mpaa))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	S64	1985	(tv adj show program programme versions) with (different adj3 (language\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	S66	33449	(viewer\$1 user client\$1 customer\$1) adj2 preference\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	S71	144	S66 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	S70	4	S66 same S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	S73	854	user adj2 (profile\$1 preference\$2) with channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	S74	261	S73 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	S75	1	S73 and "725"/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	S76	1728625 0	(@ad @rlad)<="19981030"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	S77	26	S74 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
70	S78	36	("3919479"   "4677466"   "4788682"   "5105184"   "5136636"   "5155591"   "5172413"   "5233423"   "5382970"   "5410326"   "5412416"   "5446919"   "5488423"   "5524195"   "5532735"   "5559549"   "5566353"   "5600364"   "5600366"   "5636346"   "5659653"   "5774170"   "5809471"   "5929849"   "5940073"   "5945988"   "6002394"   "6006257"   "6029045"   "6035304"   "6058430"   "6061719"   "6064980"   "6240555"   "6297853"   "RE35651") .PN.	US-PGPUB; USPAT; USOCR
71	S79	7	S78 and (mpaa rating\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	S81	1	S80 and incorp\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	S82	6	("5801787" "6620594" "4706121").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	S83	1	("5801787" "6620594" "4706121").pn. and customiz\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	S84	1	("5801787" "6620594" "4706121").pn. and (customiz\$ 'preferenc\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	S85	268	(favorite\$1 preferred\$1) near2 (network\$1 channel\$1) same (preference\$1 profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	S86	131	(favorite\$1 preferred\$1) near2 (network\$1 channel\$1) with (indicat\$4 set setting\$1) same (preference\$1 profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	S87	40	(favorite\$1 preferred\$1) near2 (network\$1 channel\$1) with (indicat\$4 ) same (preference\$1 profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	S88	37	S87 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	S89	30	S88 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Ref #	Hits	Search Text	DBs
81	S90	26	(favorite\$1 preferred\$1) near2 (network\$1 channel\$1) with (automatic\$4 with tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	S91	8	S90 and "725"/\$.ccls. and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	S92	5793	"725"/\$.ccls. and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	S96	29	(favorite\$1 preferred\$1 choice\$1) with (source\$1 device\$1 dss dbs cable) with (automatic\$4 with tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	S98	479	(plurality\$1 multipl\$5 various\$1) with (source\$1 device\$1 dss dbs cable) with (automatic\$4 with tun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	S99	12	S92 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	S100	3	(plurality\$1 multipl\$5 various\$1) with (source\$1 device\$1 dss dbs cable) with (automatic\$4 with tun\$4) same preferenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	S101	2	"6359580".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	S102	943	hdtv with (sdtv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	S103	1037	hdtv with (non adj hdtv sdtv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	S104	2	S103 same preferenc\$4 with hdtv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	S105	22	preferenc\$4 with (hdtv sdtv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	S106	20	S105 not S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	S107	253	(director directors) adj3 cut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
95	S108	67	(director directors) adj3 cut with version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	S109	17	"725"/\$.ccls. and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	S110	2	(preference\$1 profile\$1) same S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	S111	52	(preference\$1 profile\$1) with mpaa	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	S112	1	S111 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	S114	2584	(original) adj3 cut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	S115	2835	(S107 or S114)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	S116	1	S111 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	S113	15	(original) adj3 cut with version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	S117	1	(epg program adj2 guide\$1) same S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
105	S118	25	(epg program adj2 guide\$1) and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	S80	2	"20060168620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
107	S119	1	(S80 S101) and tag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	S120	1	(S80 S101) and (mpaa rating\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB